In the claims:

- 1. (Cancelled)
- 2. (Cancelled)
- 3. (Currently amended) A compound of the Formula II,

$$R^{2} \xrightarrow{R^{3}} R^{4}$$

$$R^{5}$$

$$N-N$$

$$R^{1}$$

$$II$$

wherein:

a is 0 or 1; b is 0 or 1; m is 0, 1, or 2; n is 0 to 2;

R¹ is selected from:

- 1) $(C=O)C_1-C_{10}$ alkyl,
- 2) (C=O)aryl,
- 3) (C=O)C2-C10-alkenyl,
- 4) (C=O)C₂-C₁₀-alkynyl,
- 5) (C=O)C3-C8-cycloalkyl,
- 6) (C=O)heterocyclyl,
- 7) (C=O)OC₁-C₁₀ alkyl, and
- 8) $(C=O)NR^{7}R^{8}$,
- 9) SO₂NR⁷R⁸,
- 10) SO₂C₁-C₁₀ alkyl,
- 11) SO₂C₁-C₁₀-aryl,
- 12) SO₂C₁-C₁₀ heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, and heterocyclyl is optionally substituted with one or more substituents selected from R⁷; or

R² is selected from: phenyl;

- 1) C₁-C₁₀-alkyl,
- 2) aryl,
- 3) C2-C10-alkenyl,
- 4) C2-C10-alkynyl,
- 5) C1-C6 perfluoroalkyl,
- 6) C1-C6-aralkyl,
- 7) C3-C8-cycloalkyl, and
- 8) heterocyclyl,

said <u>phenyl</u> <u>alkyl</u>, <u>aryl</u>, <u>alkenyl</u>, <u>alkynyl</u>, <u>cycloalkyl</u>, <u>aralkyl</u> and <u>heterocyclyl</u> is optionally substituted with one or more substituents selected from R^7 , <u>provided that the substituents are not a heterocyclyl</u> (C=O)<u>a</u>O<u>b</u>C₁- C₁₀ alkyl, (C=O)<u>a</u>O<u>b</u>aryl, CO₂H, halo, CN, O<u>a</u>(C=O)<u>b</u>NR⁹R¹⁰ or CHO;

R³ and R⁴ are hydrogen;

R⁵ is and R⁶ are independently selected from:

- 1) H,
- 2) C₁-C₁₀ alkyl,
- 3)—aryl,
- 4) C2-C10-alkenyl,
- 5) C2-C10-alkynyl,
- 6) C1-C6-perfluoroalkyl, and
- 7) C₁-C₆-aralkyl,
- 8) C3-C8 cycloalkyl, and
- 9) heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, eycloalkyl, and aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R⁷;

R6 is phenyl:

said phenyl is optionally substituted with one or more substituents selected from R⁷, provided that the substituents are not a heterocyclyl;

R⁷ is:

- 1) $(C=O)_aO_bC_1-C_{10}$ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C2-C10-alkenyl,

- 4) C2-C10-alkynyl,
- 5) (C=O)aOb heterocyclyl,
- 6) CO₂H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) ObC1-C6 perfluoroalkyl,
- 11) $O_a(C=O)_bNR^9R^{10}$,
- 12) $S(O)_{m}R^{a}$
- $\frac{13}{13}$ $\frac{S(O)_2NR^9R^{10}}{10}$
- 14) oxo,
- 15) CHO,
- $\frac{16)}{(N-O)R^9R^{10}}$, or
- 17) (C=O)aObC3-C8-cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl-optionally substituted with one, two or three substituents selected from R⁸;

R⁸ is selected from:

- 1) $(C=O)_rO_s(C_1-C_{10})$ alkyl, wherein r and s are independently 0 or 1,
- 2) $O_r(C_1-C_3)$ perfluoroalkyl, wherein r is 0 or 1,
- 3) oxo,
- 4) OH,
- 5) halo,
- 6) CN,
- 7) (C2-C₁₀)alkenyl,
- 8) (C2-C₁₀)alkynyl,
- 9) $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
- 10) $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
- (C=O) $_{r}O_{s}(C_{0}-C_{6})$ alkylene-heterocyclyl,
- 12) $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$,
- $C(O)R^a$
- 14) (C₀-C₆)alkylene-CO₂R^a.
- 15) C(O)H,
- 16) (C₀-C₆)alkylene-CO₂H, and
- 17) $C(O)N(R^b)_2$,
- 18) $S(O)_mR^a$, and
- 19) $S(O)_2NR_9R_{10}$

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b, OH, (C₁-C₆)alkoxy, halogen, CO₂H, CN, O(C=O)C₁-C₆ alkyl, oxo, and N(R^b)₂;

R9 and R10 are independently selected from:

- 1) H,
- 2) $(C=O)O_bC_1-C_{10}$ alkyl,
- 3) (C=O)ObC3-C8 cycloalkyl,
- 4) (C=O)Obaryl,
- 5) (C=O)Obheterocyclyl,
- 6) C₁-C₁₀ alkyl,
- 7) aryl,
- 8) C2-C₁₀ alkenyl,
- 9) C_2 - C_{10} alkynyl,
- 10) heterocyclyl,
- 11) C3-C8 cycloalkyl,
- 12) SO₂Ra, and
- $(C=O)NRb_2$

said alkyl, cycloalkyl, aryl, heterocylyl, alkenyl, and alkynyl is optionally substituted with one, two or three substituents selected from R^8 , or

R9 and R10 can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocylcic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R8;

Ra is (C1-C6)alkyl, (C3-C6)cycloalkyl, aryl, or heterocyclyl; and

Rb is H, (C_1-C_6) alkyl, aryl, heterocyclyl, (C_3-C_6) cycloalkyl, $(C=O)OC_1-C_6$ alkyl, $(C=O)C_1-C_6$ alkyl or $S(O)_2R^a$.

4. (Currently amended) The compound according to Claim 3 or a pharmaceutically acceptable salt or stereoisomer thereof, wherein:

R1 is selected from:

- 1) $(C=O)C_1-C_{10}$ alkyl,
- 2) (C=O)aryl,
- 3) (C=O)C3-C8-cycloalkyl,
- 4) (C=O)heterocyclyl, and
- $(C=O)OC_1-C_{10}$ alkyl,
- 6) SO₂NR⁷R⁸, and
- 7) SO₂C₁-C₁₀-alkyl,

said alkyl, aryl, cycloalkyl, and heterocyclyl is optionally substituted with one, two or three substituents selected from R⁷;

R² is <u>phenyl</u> selected from:

- 2) aryl, and
- 3) heteroaryl,

said <u>phenyl</u> <u>alkyl</u>, <u>aryl and heteroaryl</u> is optionally substituted with one or more substituents selected from R^7 , <u>provided that the substituents are not a heterocyclyl</u> (C=O)<u>a</u>O<u>b</u>C₁- C₁₀ alkyl, (C=O)<u>a</u>Obaryl, CO₂H, halo, CN, O_a(C=O)<u>b</u>NR⁹R¹⁰ or CHO;

R³ and R⁴ are <u>hydrogen;</u> independently selected from:

- 1) H, and
- 2) C₁-C₁₀ alkyl,

said alkyl is optionally substituted with one or more substituents selected from R7; and

R⁵ and R⁶ are independently is selected from:

- 1) H, <u>and</u>
- 2) C₁-C₁₀ alkyl,
- 3) aryl, and
- 4) heterocyclyl,

said alkyl, aryl and heterocyclyl is optionally substituted with one or more substituents selected from R⁷;

R6 is phenyl:

said phenyl is optionally substituted with one or more substituents selected from R⁷, provided that the substituents are not a heterocyclyl;

and R7, R8, R9, R10, Ra and Rb are as described in Claim 2 3.

5. (Cancelled).

carboxamide

6. (Currently amended) A compound selected from: 3-[1-acetyl-3-(2-chlorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[3-(2-chlorophenyl)-1-isobutyryl-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-acetyl-3-(2-chlorophenyl)-5-methyl-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-acetyl-3-(2,5-difluorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-Acetyl-3-(2-fluorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-Acetyl-3-(3-bromophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-Acetyl-3-(2,3-dichlorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-Acetyl-3-(2,5-dichlorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-Propionyl-3-(2-chlorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-Isobutyryl-3-(2-chlorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 1-Acetyl-3-(2-chlorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazole 1-Acetyl-3-(3-chlorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazole 1-Acetyl-3-(2,5-difluorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazole 1-Acetyl-3 (4-fluoro 3-hydroxyphenyl) 5-phenyl-4,5-dihydro-1H-pyrazole 1-[[3-(2,5-difluorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazol-1-yl]carbonyl) piperazine 3-(2,5-difluorophenyl)- N,N-dimethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide 3-(2,5-difluorophenyl)-5-(3-hydroxyphenyl)-N,N-dimethyl-4,5-dihydro-1H-pyrazole-1-

3-(2,5-difluorophenyl)-5-methyl-5-phenyl-1-(pyrrolidin-1-ylcarbonyl)-4,5-dihydro-1H-pyrazole
3-(2,5-difluorophenyl)-1-(2,5-dihydro-1H-pyrrol-1-ylcarbonyl)-5-methyl-5-phenyl-4,5-dihydro-1H-pyrazole

3-(2,5-difluorophenyl)-5-(hydroxymethyl)-N-methyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-

carboxamide

- 3 (2,5-difluorophenyl) 1,5-dimethyl-5 (3 hydroxyphenyl) 4,5-dihydro 1H-pyrazole
- ethyl [3-(2,5-difluorophenyl)-5-methyl-5-phenyl-4,5-dihydro-1H-pyrazol-1-yl]acetate
- ethyl [3-(2,5-difluorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazol-1-yl]acetate
- ethyl 2-[3-(2,5-difluorophenyl)-5-methyl-5-phenyl-4,5-dihydro-1H-pyrazol-1-yl]propanoate
- 3-[3-(2,5-difluorophenyl)-1-(morpholin-4-ylcarbonyl)-5-phenyl-4,5-dihydro-1H-pyrazol-5-yl]propan-1-amine
- 3-(2,5-difluorophenyl)-1-(methylsulfonyl)-5-phenyl-4,5-dihydro-1H-pyrazole
- 3-(2,5-difluorophenyl)-5-[3-(dimethylamino)propyl]-N-ethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 3-(2,5-difluorophenyl)-N-ethyl-5-{3-[(1H-imidazol-2-ylcarbonyl)amino]propyl}-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 5-(2-aminoethyl)-3-(2,5-difluorophenyl)-N-methyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 5-(3-aminopropyl)-3-(2,5-difluorophenyl)-N-ethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 5-(3-aminobutyl)-3-(2,5-difluorophenyl)-N-ethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 5-[3-(benzoylamino)propyl]-3-(2,5-difluorophenyl)-N-ethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 3-(2,5-difluorophenyl)-5-[4-(dimethylamino)butyl]-N-ethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 3-(2,5-difluorophenyl)-5-[4-(dimethylnitroryl)but-1-yl]-N-ethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide

- 5-[4-(benzylamino)butyl]-3-(2,5-difluorophenyl)-N-ethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 3-(2,5-difluorophenyl)-N-ethyl-5-phenyl-5-{4-[(pyridin-4-ylmethyl)amino]butyl}-4,5-dihydro-1H-pyrazole-1-carboxamide
- 3-[1 (azetidin-1-ylcarbonyl)-3-(2,5-difluorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazol-5-yllpropan-1-ol
- 3-[1-(azetidin-1-ylcarbonyl)-3-(2,5-difluorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazol-5-yl]propan-1-amine
- 3-[3-(5-chloro-2-fluorophenyl)-1-(2,5-dihydro-1H-pyrrol-1-ylcarbonyl)-5-phenyl-4,5-dihydro-1H-pyrazol-5-yl]propan-1-ol
- 3-[3-(5-chloro-2-fluorophenyl)-1-(2,5-dihydro-1H-pyrrol-1-ylcarbonyl)-5-phenyl-4,5-dihydro-1H-pyrazol-5-yl]propan-1-amine
- 3-[3-(5-chloro-2-fluorophenyl)-1-(morpholin-4-ylcarbonyl)-5-phenyl-4,5-dihydro-1H-pyrazol-5-yl]propan-1-amine
- N-{3-[3-(2,5-difluorophenyl)-1-(morpholin-4-ylcarbonyl)-5-phenyl-4,5-dihydro-1H-pyrazol-5-yl]propyl}guanidine
- 5-(3-amino-3-phenylpropyl)-3-(2,5-difluorophenyl)-N,N-dimethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 3-[3-(2,5-difluorophenyl) 5-phenyl-1-(pyrrolidin-1-ylcarbonyl) 4,5-dihydro-1H-pyrazol-5-yl]-1-methylpropylamine
- 3-[3-(2,5-difluorophenyl)-5-phenyl-1-(pyrrolidin-1-ylcarbonyl)-4,5-dihydro-1H-pyrazol-5-yl]-1-(trifluoromethyl)propylamine
- 1-acetyl-3 (2,5-difluorophenyl) 4-methyl-5-phenyl 4,5-dihydro-1H-pyrazole
- or a pharmaceutically acceptable salt or stereoisomer thereof.

7. (Cancelled)

8. (Currently amended) The compound according to Claim <u>3</u>6 which is selected from:

 $3\hbox{-}[1\hbox{-}acetyl\hbox{-}3\hbox{-}(2,5\hbox{-}difluor ophenyl)\hbox{-}4,5\hbox{-}dihydro\hbox{-}1H\hbox{-}pyrazol\hbox{-}5\hbox{-}yl]phenol$

 $\underline{5\text{-}(3\text{-}amino\text{-}3\text{-}phenylpropyl)\text{-}3\text{-}(2,5\text{-}difluorophenyl)\text{-}N,N\text{-}dimethyl\text{-}5\text{-}phenyl\text{-}4,5\text{-}dihydro\text{-}1H\text{-}pyrazole\text{-}1\text{-}carboxamide}}$

3-(2,5-difluorophenyl)-5-(3-hydroxy-3-phenylpropyl)-N,N-dimethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide

3 [3-(5-chloro-2-fluorophenyl)-1-(2,5-dihydro-1H-pyrrol-1-ylcarbonyl)-5 phenyl-4,5-dihydro-1H-pyrazol-5-yl]propan-1-amine

or a pharmaceutically acceptable salt or stereoisomer thereof.

9. (Currently amended) A compound selected from:

Serial No. 10/506,702 Case No. 21047YP Page 13

$$R^2$$
 R^5
 R^6
 R^1

R^2	R^5	R^6	$R^{1'}$	
2,5-dichlorophenyl	Н	Ph	NMe ₂	
2-fluoro-5-cyanophenyl	Н	Ph	NMe_2	
2-fluoro-5-bromophenyl	Н	Ph	NMe_2	
2-fluoro-5-hydroxymethylphenyl	H	Ph	NMe ₂	
2-fluoro-5-chlorophenyl	Н	Ph	NMe_2	
2-fluoro-5-nitrophenyl	Н	Ph	NMe ₂	
4-pyridyl	H	Ph	NMe ₂	
3 pyridyl	H	Ph	NMe ₂	
2-pyridyl	H	Ph	NMe ₂	
isopropyl	H	Ph	NMe ₂	
tert-butyl	Ħ	Ph	NMe ₂	
cyclopropyl	Ħ	Ph	NMe ₂	
isobutyl	Ħ	Ph	NMe ₂	
1-imidazolyl	H	Ph	NMe ₂	
2-imidazolyl	Ħ	Ph	NMe ₂	
2-thiazolyl	Ħ	Ph	NMe ₂	

$$R^2$$
 N
 N
 R^0
 R^1

R^2	R ⁵	R^6	R ^{1'}
2-oxazolyl	H	Ph	NMe ₂
3 isoxazolyl	H	Ph	NMe ₂
2-furanyl	Ħ	Ph	NMe ₂
3-furanyl	Ħ	Ph	NMe ₂
2,5-difluorophenyl	Н	3-hydroxyphenyl	NMe_2
2,5-difluorophenyl	Н	4-hydroxyphenyl	NMe_2
2,5-difluorophenyl	Н	3-aminophenyl	NMe_2
2,5-difluorophenyl	Н	3-(acetylamino)phenyl	NMe_2
2,5-difluorophenyl	Н	3-carboxyphenyl	NMe_2
2,5-difluorophenyl	Ħ	3-tetrazolylphenyl	NMe ₂
2,5-difluorophenyl	Ħ	4-pyridyl	NMe ₂
2,5-difluorophenyl	Ħ	3-yridyl	NMe_2
2,5-difluorophenyl	H	2 pryimidinyl	NMe_2
2,5-difluorophenyl	H	6-indolyl	NMe₂
2,5-difluorophenyl	Ħ	6-benzimidazolyl	NMe ₂
2,5-difluorophenyl	H	1-imidazolyl	NMe ₂

R ² ⊸	\mathbb{R}^{5} \mathbb{R}^{6} $\mathbb{R}^{1'}$	0
	Γ.	

R^T			
\mathbb{R}^2	\mathbb{R}^5	\mathbf{R}^{6}	R ^{1'}
2,5-difluorophenyl	Н	2-imidazolyl	NMe ₂
2,5-difluorophenyl	— Н	2-thiazolyl	NMe ₂
2,5-difluorophenyl	Н	2-oxazolyl	NMe ₂
2,5-difluorophenyl	H	3-isoxazolyl	−NMe ₂
2,5-difluorophenyl	- H	2-furanyl	NMe ₂
2,5-difluorophenyl	— Н	3-furanyl	NMe ₂
2,5-difluorophenyl	Н	Ph §	$-\langle$ NH_2
2,5-difluorophenyl	Н	Ph	NH ₂
2,5-difluorophenyl	— Н——	Ph	NH ₂
2,5-difluorophenyl	Н	Ph	NH ₂
2,5-difluorophenyl	Н	Ph	HN

$$R^2 \xrightarrow{R^5} R^6$$

$$R^{1'}$$

$R^{1'}$				
\mathbb{R}^2	R ⁵	R ⁶	R ^{1'}	
2,5-difluorophenyl	Н	Ph	Me NO	
2,5-difluorophenyl	Н	Ph	Me E-N	
2,5-difluorophenyl	Н	Ph	₩e ₹-N	
2,5-difluorophenyl	Н	Ph	Me N N F	
-2,5-difluorophenyl	H	—— Ph	Me F N N NH ₂	

$$R^2$$
 R^5
 R^6
 $R^{1'}$

	1	R ^{1'}	
\mathbb{R}^2	R ⁵	\mathbb{R}^6	R1'
2,5-difluorophenyl	Н	Ph	₹-N
2,5-difluorophenyl	Н	Ph	ξ−N
2,5-difluorophenyl	Н	Ph	Me N
-2,5-difluorophenyl	— Н	—— Ph	Me ₹-N -N-O
2,5-difluorophenyl	Н	Ph	Me -N

$$\begin{array}{c} R^2 \\ N \\ N \\ R^6 \\ \end{array} R^{\text{sub}}$$

	R¹¹ [∕] CO		
\mathbb{R}^2	R ^{sub}	\mathbb{R}^6	R ^{1'}
2,5-difluorophenyl	NH ₂	Ph	% Me N O
2,5-difluorophenyl	NH ₂	Ph	Me ₹-N NH
2,5-difluorophenyl	NH ₂	Ph	Me E-N
-2,5-difluorophenyl	NH ₂ —	Ph	Me -N -N -N -N
-2,5-difluorophenyl	──NH ₂	<u>Ph</u>	Me F N N N N N N N N N N N N N N N N N N N

•	R ² N. _N	R ^{sub}	
	R¹' [™] O		
R ²	R ^{sub}	R ⁶	R ¹ '
2,5-difluorophenyl	NH ₂	Ph	§−N
2,5-difluorophenyl	NH ₂	Ph	§−N ,
2,5-difluorophenyl	NH ₂	Ph	Me \ \{-N\} Me
- 2,5 difluorophenyl	NH ₂	——Ph	₹-N-O-
2,5-difluorophenyl	NH ₂	Ph	Me -N

	R ² N. N. R	R ^{sub}	
$\mathbf{R^2}$	$R^{1'}$ O R^{sub}	${f R}^6$	$R^{1'}$
	<u> </u>		K
2,5-difluorophenyl	NH ₂	Ph	\biguplus_{NH_2}
2,5-difluorophenyl	NH ₂	Ph	\biguplus_{NH_2}
2,5-difluorophenyl	NH ₂	—Ph	NH_2
2,5-difluorophenyl	NH ₂	Ph	₹—NH ₂
2,5-difluorophenyl	NH ₂	Ph	HN O

R^2 N R^6 R^{11} O					
R ²	R ^{sub}	R ⁶	R ¹ '		
2,5-difluorophenyl	NH ₂	3-hydroxyphenyl	NMe ₂		
2,5-difluorophenyl	NH ₂	4-hydroxyphenyl	NMe ₂		
2,5-difluorophenyl	NH ₂	3-aminophenyl	NMe ₂		
2,5-difluorophenyl	NH ₂	3-(acetylamino)phenyl	NMe ₂		
2,5-difluorophenyl	NH ₂	3-carboxyphenyl	NMe ₂		

NH₂ 3-tetrazolylphenyl

NH₂

-2,5-difluorophenyl NH₂ 3-pyridyl

2,5-difluorophenyl NH₂ 2-pyrimidinyl

4-pyridyl

2-pyridyl

2,5-difluorophenyl

2,5-difluorophenyl

2,5-difluorophenyl NH₂

 NMe_2

NMe₂

NMe₂

NMe₂

NMe₂

$$R^2$$
 N
 R^6
 $R^{1'}$
 O
 R^{sub}
 R^6
 $R^{1'}$

2,5-difluorophenyl $-NH_2$ 6-indolyl NMe₂ 2,5-difluorophenyl NH₂ 4-indolyl NMe₂ 2,5-difluorophenyl NH₂ NMe₂ 6-benzimidazolyl 2,5-difluorophenyl NH₂ 1- imidazolyl NMe₂ 2,5-difluorophenyl NH₂ 2-imidazolyl NMe₂ 2- thiazolyl NMe₂ 2,5-difluorophenyl NH₂ 2-oxazolyl NMe₂ 2,5-difluorophenyl NH₂ 2,5-difluorophenyl NH₂ 3-isoxazolyl -NMe₂-2,5-difluorophenyl NH₂ 2-furanyl NMe₂ -2,5-difluorophenyl NH₂ 3-furanyl -- NMe₂--

 \mathbb{R}^2

R ²	R ^{sub}	R ⁶	R1'
. 2,5-dichlorophenyl	NH ₂	Ph	NMe ₂
2-fluoro-5-cyanophenyl	NH ₂	Ph	NMe ₂
2-fluoro-5-bromophenyl	NH ₂	Ph	NMe ₂
2 fluoro 5 hydroxymethylphenyl	NH ₂	— Ph	NMe ₂
2-fluoro-5-chlorophenyl	NH ₂	Ph	NMe ₂
2-fluoro-5-nitrophenyl	NH ₂	Ph	NMe ₂
- 4-pyridyl	NH ₂	Ph	NMe ₂
3-pyridyl	NH ₂	Ph	NMe ₂
2-pyridyl	NH ₂	Ph	NMe ₂

	R^2 N R^6	∕^R ^{sub}	
	R¹¹ [.] O		
\mathbb{R}^2	\mathbf{R}^{sub}	\mathbb{R}^6	$R^{1'}$
isopropyl	NH ₂	Ph	NMe ₂
-tert-butyl	NH ₂	Ph	NMe ₂
-cyclopropyl	NH ₂	Ph	NMe ₂
isobutyl	NH ₂	Ph	NMe ₂
1- imidazolyl	NH ₂	Ph	NMe ₂
-2-imidazolyl	NH ₂	— Ph	NMe ₂
2-thiazolyl	NH ₂	Ph	NMe ₂
2-oxazolyl	NII ₂	Ph	NMe ₂
3-isoxazolyl	NH ₂	Ph	NMe ₂
2-furanyl	NH ₂	Ph	NMe ₂
3-furanyl	NH ₂	— Ph	NMe ₂

$$R^2$$
 N
 R^6
 $R^{\text{sub'}}$
 $R^{\text{sub'}}$
 $R^{\text{sub'}}$

R ²	R ^{sub'}	R ⁶	R ^{1'}
2,5-difluorophenyl	phenyl	Ph	NMe ₂
2,5-difluorophenyl	4-nitrophenyl	Ph	NMe ₂
2,5-difluorophenyl	4-trifluoromethylphenyl	Ph	NMe ₂
2,5-difluorophenyl	4-chlorophenyl	Ph	NMe ₂
2,5-difluorophenyl	CO ₂ Me	Ph	NMe ₂
2 ,5-difluorophenyl	4-pyridyl	-Ph-	NMe ₂
2,5-difluorophenyl	3-pyridyl	–Ph–	NMe ₂
2,5-difluorophenyl	2-pyridyl	Ph	NMe ₂
2,5-difluorophenyl	2-imidazolyl	Ph	NMe ₂
2,5-difluorophenyl	CONH ₂	Ph	NMe ₂

R^2_{\setminus}	,	
N.N	$\stackrel{\frown}{R^6}$ $\stackrel{N}{H}$	∕^R ^{sub"}
R1' 0		

R ²	R ^{sub''}	R ⁶	R ^{1'}
2,5-difluorophenyl	phenyl	Ph	NMe ₂
-2,5-difluorophenyl	4-nitrophenyl	-Ph	NMe ₂
2,5-difluorophenyl	4-trifluoromethylphenyl	Ph	NMe ₂
2,5-difluorophenyl	4-chlorophenyl	Ph	NMe ₂
2,5-difluorophenyl	CO ₂ Me	Ph	NMe ₂
-2,5-difluorophenyl	4-pyridyl	Ph	NMe ₂
-2,5-difluorophenyl	3-pyridyl	—Ph—	NMe ₂
-2,5-difluorophenyl	2-pyridyl	—Ph	──NMe ₂
2,5-difluorophenyl	2-imidazolyl	—Ph	NMe ₂
2,5-difluorophenyl	4-cyanophenyl	Ph	NMe ₂

$$\begin{array}{c} R^2 \\ N \\ N \\ R^6 \\ \end{array}$$

R ²	W-R ⁵	R ⁶	R ^{1'}
2,5-difluorophenyl	-CH ₂ CF ₂ CH ₂ NH ₂	Ph	NMe ₂
2,5-difluorophenyl	-CH ₂ OCH ₂ CH ₂ NH ₂	Ph	NMe ₂
2,5-difluorophenyl	_CH ₂ CH ₂ CH(CHF ₂)NH ₂	Ph	NMe ₂
-2,5-difluorophenyl		-Ph-	NMe ₂
2,5-difluorophenyl	-CH ₂ OCF2CH ₂ NH ₂	Ph	NMe ₂
2,5-difluorophenyl	-CH ₂ CH ₂ CF ₂ CH ₂ NH ₂	Ph	NMe ₂
2,5-difluorophenyl	-CH ₂ CH ₂ CH ₂ CH(CHF ₂₎ NH ₂	Ph	NMe ₂
2,5-difluorophenyl	-CH ₂ CH(OH)CH ₂ CH ₂ NH ₂	Ph	NMe ₂
2,5-difluorophenyl	-CH ₂ CH(OH)CH ₂ NH ₂	Ph	NMe ₂
2,5-difluorophenyl	-CH ₂ C(O)CH ₂ CH ₂ NH2	Ph	NMe ₂

or a pharmaceutically acceptable salt or stereoisomer thereof.

10. (Previously amended) A pharmaceutical composition that is comprised of a compound in accordance with Claim ± 3 and a pharmaceutically acceptable carrier.

11.-36. (Cancelled)